
(FILE 'HOME' ENTERED AT 17:38:03 ON 23 OCT 2003) FILE 'REGISTRY' ENTERED AT 17:38:09 ON 23 OCT 2003 L13034 S TRIHYDROXYBENZO? L20 S TRIHYDROXYBENZOIC ADJ ACID L3 126 S TRIHYDROXYBENZOIC (W) ACID L41 S 610-02-6 L5 1 S 149-91-7 FILE 'CAPLUS, MEDLINE' ENTERED AT 17:42:11 ON 23 OCT 2003 Lб 196 S L4 L7 11606 S L5 OR GALLIC L8 1744 S L7 AND ANTIOXIDANT 22086 S RADICAL SCAVENGER L9 L10 170 S L9 AND L8 L11 25 S L9 AND GALLIC/TI L12 18 DUPLICATE REMOVE L11 (7 DUPLICATES REMOVED) L13 7 S L6 AND ANTIOXID? 7 S L7 AND RADIOLAB? L14L15 6 DUPLICATE REMOVE L14 (1 DUPLICATE REMOVED) L16 2 S L7 AND RADIOTHERAP? L17 1089 S L7 AND GALLIC/TI L18 104 S L17 AND L8 L19 93 S L18 NOT L11 79 DUPLICATE REMOVE L19 (14 DUPLICATES REMOVED) L20 L21 13 S L20 AND (FOOD OR THERAP?)



DATE: Thursday, October 23, 2003 Printable Copy Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=USPT; PLUR=YES; OP=AND			
<u>L7</u>	L6 and antioxidant.clm.	40	<u>L7</u>
<u>L6</u>	L2 and gallic.clm.	91	<u>L6</u>
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=AND			
<u>L5</u>	2 and gallic.clm.L3	0	<u>L5</u>
DB = JPAB, E	PAB,DWPI; PLUR=YES; OP=AND		
<u>L4</u>	L3	51	<u>L4</u>
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=AND			
<u>L3</u>	L2 and (food or tea or therap\$)	735	<u>L3</u>
<u>L2</u>	L1 and antioxid\$	1822	<u>L2</u>
<u>L1</u>	gallic	6939	<u>L1</u>

END OF SEARCH HISTORY

WEST

Generate Collection

Print

L4: Entry 47 of 51

File: DWPI

Nov 10, 1981

DERWENT-ACC-NO: 1981-94013D

DERWENT-WEEK: 198151

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Antioxidant for oil and fat used in foodstuff - comprises gallic acid and

L-ascorbic acid

PATENT-ASSIGNEE:

ASSIGNEE CODE NIPPON OILS & FATS CO LTD NIOF

PRIORITY-DATA: 1980JP-0047246 (April 10, 1980)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 JP 56144060 A
 November 10, 1981
 003

 FR 2513491 A
 April 1, 1983
 000

 JP 82059739 B
 December 16, 1982
 000

INT-CL (IPC): A23D 5/04; A23K 1/16; A23K 3/00

ABSTRACTED-PUB-NO: JP 56144060A

BASIC-ABSTRACT:

Antioxidant for feed use is composed of 70-99 w/w% of gallic acid and 1-30 w/w% of L-ascorbic acid.

The <u>antioxidising</u> activity of <u>antioxidant</u> is stronger than that of 6-ethoxy-1,2-dihydro-2,2, 4-trimethyl-quinoline and the amt. of the <u>antioxidant</u> for attaining similar <u>antioxidising</u> effect as Ethoxyquin can be decreased to ca. 1/3. Usually the <u>antioxidant</u> is combined 50-200 ppm in the starting oil and fat of feed use and 10-100 ppm in assorted feeds.

By combining L-ascorbic acid in <u>gallic</u> acid, the discolouration with iron can be prevented, and also the <u>antioxidising</u> activity of <u>gallic</u> acid is synergically intensified. Oxidn. of the oil and fat in feed, can be prevented.

TITLE-TERMS: ANTIOXIDANT OIL FAT FOOD COMPRISE GALLIC ACID ASCORBIC ACID

DERWENT-CLASS: D13 E19

CPI-CODES: D03-G01; E07-A02; E10-C03;

CHEMICAL-CODES:

Chemical Indexing M3 *01*

Fragmentation Code

F012 F013 F014 F015 F113 H4 H403 H421 H482 H8
J5 J522 K0 L8 L818 L821 L832 L9 L942 L960
M280 M312 M321 M332 M343 M373 M391 M413 M510 M521

M530 M540 M782 M903 M910 P863 Q224 Q624

Chemical Indexing M3 *02*
Fragmentation Code
G017 G100 H4 H403 H443 H8 J0 J011 J1 J131
M280 M320 M414 M510 M520 M531 M540 M782 M903 M910
P863 Q224 Q624

UNLINKED-DERWENT-REGISTRY-NUMBERS: 0035U; 1170U